

# Data and Information Application Layer [DIAL]

A powerful and quick technology to build data-rich user interfaces on top of current and proposed NASA server-side and middle-ware data services.

Funded by NASA ACCESS CA: NNX06AB08A June, 2006

Project PI: Bruce Caron bruce@nmri.org

Project Technical lead: Marty Landsfeld marty@nmri.org

Project Team: Earth Data Discovery Consortium ESIP, The New Media Research Institute and The Foundation for Earth Science



# We love Open-Source... but we crave speed


- DIAL is NOT an open-source project... it does provide an open RESOURCE of code that can be used with standard licenses
- DIAL HARNESSES leading COTS software environments:
  - ITT's IDL™, ESRI's ArcEngine™ (soon), Adobe's Director™
- Some time in the future, open-source might catch up. Until then, there's DIAL.



# In the beginning was the ESIP... and it was good. But this is better...

- May 1997 the ESIP CAN...
  - Mission to Planet Earth Education Series ESIP: multimedia production
- NSF SBIR and ESIP Fed support: 2000
  - Moving from multimedia to direct data access: EDMI Xtra
  - Earth Data Discovery Consortium ESIP... new partners






Text

# **DIAL** development history (cont.)

- NSF NSDL support: 2001-2003
  - Building code resources and partnering capabilities
- NASA/ESIP SEEDS grant 2004
  - Demonstrating end-to-end data access with GLCF and **OPeNDAP**
- NASA ACCESS support: 2006-2008






# Proven End-to-end Data Delivery SOLUTION

- OPeNDAP enabled
  - accesses the OPeNDAP IDL Client
- ■■ IDL/ArcGIS powered
  - leverages professional data format access tools/scripts
- Adobe simple
  - ■■ They DO the GUI for professional/consumer apps...
- Does Windows and Mac OS
  - Adobe, and ITT are cross-platform. ESRI...does some Java...
- Open to new access protocols/standards
  - e.g., the alpha OGC WCS Client, ECHO, web services













# Fueling the User Experience: Moore is More

- 3 GHz, Dual Core, 128m video card, 19" monitor = \$990
- sub 1/10 second response time goal (local interactions)
- download the data as data...
- redraw the visualization locally...
- one data set is worth a thousand pictures
- ergo: distribute the tool and the data and stand back...





- 500 lb gorilla app for multimedia APPLICATION AUTHORING...
- Spits out STAND-ALONE APPLICATIONS... not just graphics
- JavaScript enabled





#### Powerful DVD-Video Capabilities

**DVD-Video Support** 

**DVD Event Manager** 

**DVD Controller Component** 

#### **Time-Saving Enhancements**

JavaScript Syntax Scripting

Sprite and Channel Naming

New Projector Publishing Panel

Cross-Platform Projector Publishing

Improved Lingo Syntax

#### Tight Integration with Macromedia MX 2004 Products

Macromedia Flash 7 Support

Launch and Edit Macromedia Flash MX 2004 Content

Flash Component Support

Macromedia Fireworks MX 2004 Integration

Updated MX User Interface

#### Broad Media Support

Integrate Over 40 Media Types

Apple QuickTime 6 Support

Windows Media Format Support

RealMedia Format Support

#### Workflow Improvements

Improved Help System

Stage Docking

MIAW Docking

Start Page

Improved Window Properties

#### Improved Performance

Optimized Flash Sprite Handling

Flash Content Playback Improvements

Improved XML Parsing

#### **Accessibility and Standards**

Accessibility Support

Accessibility Behaviors

Internet Protocol Support



## **Director=Multimedia**

- Combining video, audio, graphics, 3D objects, and text...
- Creating user interfaces
- Programming user choices into the interface
- + NASA DATA (EDMI)



#### Use Director MX 2004 When You Want To:

Create streaming, interactive, multiuser content using:

- Interactive 2D and real-time 3D animation
- Video: RealVideo, DVD-Video, Windows Media, Apple QuickTime, AVI
- Sounds: RealAudio, MP3, AIF, WAV
- . Graphics: JPG, GIF, PNG, PSD, BMP, and more
- Macromedia Flash
- Text and fonts
- Xtras

**Deploy to fixed media.** The performance, media-handling, and extensibility of Director make it ideally suited for deploying content on CD-ROM, DVD-ROM, kiosks, and other fixed media:


- Get optimal content playback. Fixed media content often involves hundreds of megabytes of data. The advanced dynamic memory management of Director enables quick loading and unloading of this data into system memory for smooth playback.
- Create fully featured applications that can access, launch, and control other applications from within the Director executable.
- Enjoy greater control—such as read/write access to the user's disk—as well as control over devices like joysticks.

Deploy cross-platform accessible content that does not require a screen reader. Director MX 2004 is ideal for creating accessible CD/DVD-ROMs, kiosks, and web-based applications that run on both Apple Macintosh and Microsoft Windows-based systems. Visually impaired web users frequently use screen-reading software, which reads aloud the contents of a web page. Because Director MX 2004 uses native text-to-speech capabilities within the OS, you can create accessible self-voicing content that works without screen readers or other assistive technologies. This is important in situations where it's impractical to install expensive screen readers, such as in public libraries and museum kiosks.

Get maximum performance with large files. Quickly load and unload hundreds of megabytes of data into system memory with advanced memory management of Director. The result? A consistent, smooth playback for end users.








Transition Xtras and Asset Xtras can be used across Director and Authorware. Pixel Filter Xtras can be used in FreeHand as well as Director and Authorware.


Xtras are the most visible and tangible result of the Macromedia Open Architecture for day-to-day users of Macromedia products. Some Xtras are product-specific, while others are designed to work across multiple applications. The table below provides a sampling of how the Xtras can be supported in Macromedia applications and where those Xtras appear in each application's user interface.


# **Adobe Director (cont.)**

- Open Architecture API
  - uses COM compatable for both Windows and Mac
- Xtras=Plug-ins
- Earth Data Multimedia Instrument Xtra...

Director Xtras	Appears In	Behavior
Transition	Transition Dialog	Performs screen transition effect.
Asset	Insert Menu	Creates an instance of an add-in media type.
Pixel Filter	Auto Filter, Paint	Runs filters (Photoshop and others) that can modify single bitmaps or a range of bitmaps over time (in the Paint or Cast window).
Scripting	Lingo scripting language	Provides additional functions and objects in the Lingo scripting language













# ITT Visual Information Solutions' IDL software

- IDL, MATLAB, and the rest: it's what researchers use.
- Runtime code version 6.3
- Massive amount of code we don't need to debug or update...
- Command-line interface

#### > Data Access

IDL supports virtually every data format, type and size so you can focus on interpreting your data, not trying to read it in

#### > Data Analysis

Leverage IDL's built-in library of math, statistics, image processing and signal processing routines or build your own much more easily than with C or FORTRAN

#### > Data Visualization

From simple 2D plots to OpenGL-accelerated 3D graphics, IDL gives you the tools you need to easily create powerful visualizations

#### > GUI Toolkit & Builder

Take advantage of IDL's complete, native UI toolkit and convenient drag-and-drop GUI builder to quickly build the ideal interface for your end-user

#### > Development Environment

Reduce your design-compile-link-test cycle by issuing commands on the fly and seeing results immediately with IDL's interpreted language.

#### > Integrated External Languages

Call programs and libraries written in other languages from IDL, use IDL as an ActiveX control and an ActiveX container and access Java objects from within IDL code

#### > Application Distribution/Code Sharing

Distribute your programs without revealing your source code via the free IDL Virtual Machine and share code over the Web with ION

#### > Training and Consulting

Get up to speed faster with RSI's numerous and customizable training classes and take advantage of RSI's 25 years of experience delivering solutions on time and within budget


#### > Platform Support


The complete list of platforms supported in the current release of IDL

#### > Complete Functional Summary

A detailed summary of functionality in the current release of IDL










# IDL: Data access and more


- IDL reads ALL NASA data formats (please let me know if this is not so)...
- IDL handles 3D, 4D, and 5D data...
- ■■ IDL does the math too...
- IDL runs the OPeNDAP client






# IDL-Runs External Models: DIAL does the GUI

- Anything that can be run on a PC/
  Mac... in
- Fortran, Basic, C, etc.
- CAN be called externally by IDL...
- And the DIAL application can handle input and post processing
- Graphing output and doing numerical analyses










### **OPeNDAP** and IDL

- OPeNDAP: Open Source
  Project for a Networked
  Data Access Protocol
- IDL client access's OPeNDAP (DODS) servers
- Many NASA/NOAA data centers use OPeNDAP


```
; IDL-OPENDAP interface.
; Written by Patrick C. West - UCAR/HAO
; Based on IDL-DODS Written by Daniel J. Carr - Research Systems, Inc.
; Copyright 2005, UCAR
; Main interface routine for IDL-OPENDAP link.
; opendap get sets up the environment, and then calls
; opendap get das or opendap get data to establish a connection and
; return the appropriate OPeNDAP data.
     url - (Input )
        URL location to connect to.
    ce - (Input )
        Data constraint expression.
     opendap data - (Output)
        Returns the requested DODS data as an IDL structure.
     deflate - (Optional input flag)
       ACCEPT DEFLATE flag (1=yes (default), 0=no).
     mode - (Optional input flag)
       Flag for the type of data to retrieve
        (0 or 'DATA' for the data (default), 1 or 'DAS' for the DAS)
     seq blocksize - (Optional input flag)
        How many elements should be allocated at once for sequence data
        Default: 4096
     returns -
        Status (1=ok, 0=fail).
```





- Generous donation of the runtime distribution license from ITT Visual Solutions gives us the means to build a community of developers working to spread data literacy and data use to classrooms, museums, and other educational outlets
- Education User cost: free
- Other User cost: ITT Visual Solutions will work with any developer to license the runtime IDL code on a per-application basis: Please Contact Keith Nicholson at ITT Visual Solutions: keithn@rsinc.com
- The EDMI Xtra is available for free for all non-commercial uses.
- ■■ Development requires STANDARD IDL and Adobe Director licenses






### Data Discovery Toolkit and Foundry

Find an Application I want to get INVOLVED

Request an Application





#### Welcome to the Foundry!

The New Media Studio and friends, with the support of the National Science Foundation [Grant #DUE-0121550] are creating this service. Use the buttons on the left to explore how this technology can help you bring data to your students and or other data users. [Foundry picture source: Library of Congress]



The New Media Studio

**Foundry Partners** 



Click HERE to go directly to available products

Latest Foundry News and Product/Partner Events


# **NEXT STEPS: Technology integration with NASA**

- Working with the Tech. Integration Working Group
- Building from the NSDL Data Discovery Toolkit and Foundry CVS system and Wiki
- Creating a new community web portal (nmri.org/DIAL ?)
- Doing the plug-in to ESRI ArcEngine...



# **DOING the ArcGIS Xtra... mapping data**

- Calling the ArcGIS Engine Runtime Environment
- ■■ Standard GIS framework, ArcObjects, on which the ArcGIS family is built
- Cost-effective deployment requiring only an ArcGIS Engine Runtime or ArcGIS Desktop license per computer
- Developer controls available in ActiveX, .NET, and Java that simplify application development
- A choice of standard developer languages including COM, .NET, Java, and C ++ as well as a choice of Windows, Linux, and Solaris computing platforms
- Extensive developer resources including object models, utilities, samples, and documentation



# **Support for WCS in IDL and ArcGIS**

- The IDL WCS Client (now in alpha) provides access to gridded data from WCS servers
- ArcGIS includes WMS and WFS support
- Director promotes layer transparency control






On the right: IDV

# Doing Custom Application Development

- All other data-rich application developers offer a one-size-fits-all application
- DIAL supports a custom-fit application AUTHORING environment:





### What's Next for DIAL

- Retooling the existing code in Javascript... an open RESOURCE for community development
- Building GUI objects for reuse by the community
- Building DATA objects that are pre-coded to access/visualize common data types (e.g., MODIS)
- Building new Standards compliance with OGC and ECHO
- Linking to WEB services through SOAP, etc.



# How YOU can join the DIAL team

- We will be offering the DIAL plug-in software for noncommercial use.
- Partners will need to buy the standard Adobe Director software for their in-house development effort.
- Educational partners have access to the Federation-wide ITTVIS runtime license to IDL, and (soon) ESRI runtime license to create/distribute ANY NUMBER of applications
- Non-educational partners can negotiate a license with ITT or ESRI.



# NMRI.org/DIAL [COMING SOON]

- This will be the one-stop vortal for DIAL technology and news
- Contact info:
  - bruce@nmri.org
  - marty@nmri.org